

READY 
TORACE

GET OUT THERE



*Disclaimer - The models shown in the picture may vary from the actual product.

KTM

READY TORACE



PHILOSOPHY

At KTM, **Ready to Race** isn't just a slogan - it's our DNA. Every motorcycle we build is engineered with precision, agility, and relentless performance that's built to dominate dirt, tarmac and everything in between.

POWERED BY RACING DNA

THE CORE VALUES THAT DRIVE US



PURITY



PERFORMANCE



ADVENTURE



EXTREME

THE TRUE MEANING OF ADVENTURE



The best way of experiencing adventure is by pursuing it. Charging harder, faster, and further in search of more extreme thrills and challenges. KTM develops its Travel range for those who dare to experience adventure in all its unfiltered, brutal, and exciting reality. Each model is developed with lessons learned from KTM's success in the most challenging rally races on the planet

370+ WORLD CHAMPIONSHIPS



KTM has earned over **370 world titles** across Motocross, Enduro, and Supercross, showcasing its expertise in **performance-oriented engineering** and **design**.

A NEW BENCHMARK IN OFF-ROAD ADVENTURE KTM 390 ADVENTURE R

Engineered with rally-tuned power and a high-clearance, off-road-focused chassis, KTM 390 ADVENTURE R is designed to maintain absolute stability and durability across the most unpredictable terrain. For those ready to push beyond the pavement and conquer real off-road challenges, this is the ultimate adventure tool.




ADVANCED ELECTRONIC AIDS

Ride-by-Wire throttle with Street, Rain and Off-Road Ride Modes, Motorcycle Traction Control (MTC), Cornering ABS with dedicated Off-Road ABS, Cruise Control and Quickshifter+ for precise control across changing terrain.



RALLY-TUNED TORQUE & POWER

398CC LC4c single-cylinder engine delivering 39 Nm @ 6500 rpm and 46 PS @ 8500 rpm, tuned for strong low- and mid-range response in demanding off-road conditions.



BUILT FOR REAL OFF-ROAD ADVENTURE

21" front / 18" rear spoked wheels, high ground clearance and off-road-focused chassis geometry for stability, traction and durability across rough, unpredictable terrain.



LONG-TRAVEL WP APEX SUSPENSION

WP APEX 43 mm USD front forks and rear monoshock with 230 mm suspension travel, offering adjustable compression, rebound, and preload for terrain-specific setup.

[LEARN MORE](#)

KTM 390 ADVENTURE R

AVAILABLE COLOURS



CERAMIC WHITE

YOUR GATEWAY TO TERRAINS BEYOND ROADS

KTM 390 ADVENTURE S

The KTM 390 ADVENTURE S is the ideal start to the world of adventure touring. Light, capable, and confidence-building, it brings proven KTM performance to new explorers. For riders ready to begin their first real adventure, this is the perfect entry point.



ADVANCED ELECTRONICS PACKAGE

Adventure-ready with Cruise Control, MTC, Quickshifter+, 3 Ride modes, Cornering ABS, Off-road ABS.



RALLY-INSPIRED BODYWORK

Inspired by KTM's Dakar racing heritage.



5" TFT DISPLAY WITH KTM CONNECT

Turn-By-Turn Navigation, call, and music integration.



ENGINE DESIGN

4 stroke, Single Cylinder, DOHC, Internal Combustion Engine.

[LEARN MORE](#)

KTM 390 ADVENTURE S

AVAILABLE COLOURS



ELECTRONIC ORANGE



CERAMIC WHITE

YOUR GATEWAY TO TERRAINS BEYOND ROADS

KTM 390 ADVENTURE X

The KTM 390 ADVENTURE X is the ideal start to the world of adventure touring. Light, capable, and confidence-building, it brings proven KTM performance to new explorers. For riders ready to begin their first real adventure, this is the perfect entry point.



ADVANCED ELECTRONICS PACKAGE

Adventure-ready with Cruise Control, MTC, Quickshifter+, 3 Ride modes, Cornering ABS, Off-road ABS.



RALLY-INSPIRED BODYWORK

Inspired by KTM's Dakar racing heritage.



5" TFT DISPLAY WITH KTM CONNECT

Turn-By-Turn Navigation, call, and music integration.



ENGINE DESIGN

4 stroke, Single Cylinder, DOHC, Internal Combustion Engine.

[LEARN MORE](#)

KTM 390 ADVENTURE X

AVAILABLE COLOURS

ELECTRONIC ORANGE



CERAMIC WHITE



THE NEXT ERA IN HARDCORE ADVENTURE TRAVEL KTM 390 ADVENTURE

The KTM 390 ADVENTURE is built for riders who want full touring capability and real off-road confidence. With class-leading electronics, advanced tech and rally-inspired engineering, it adapts to any terrain with ease. If your adventure demands capability without compromise, this is the machine.



ADVANCED ELECTRONIC AIDS

Cruise Control, 3 Ride Modes, Cornering ABS, Traction Control, Off-Road ABS, Quickshifter+



BUILD FOR ADVENTURE

19"/17" Tubeless Casted Wheels



MORE TORQUE & POWER

349CC LC4c Engine, Delivers 33.5 Nm (@ 7000 rpm and 41.5 PS @ 8600 rpm).



ADJUSTABLE WP APEX SUSPENSION

FRONT WP APEX USD forks, 43mm diameter, 200mm travel. REAR WP APEX Monoshock, 205mm travel (10 steps) adjustable Preload.

[LEARN MORE](#)

KTM 390 ADVENTURE

AVAILABLE COLOURS



ELECTRONIC ORANGE



CERAMIC WHITE

FOR THE ADVENTURE TOURER IN YOU KTM 250 ADVENTURE

When you set out on an adventure, you seek a machine as versatile as your ambition. You need precision, power, and advanced tech that work with you. The KTM 250 ADVENTURE is built for riders who demand more than just a casual adventure machine. With rally-inspired performance and class-leading electronics, this machine is built for hardcore adventure travel.



ADVANCED ELECTRONICS PACKAGE

Adventure-ready with Quickshifter+, Offroad ABS, Ride-by-wire & LED projector headlamps



19"/17" TUBELESS ALLOY WHEELS

Designed for mixed terrain stability and control.



5" TFT DISPLAY WITH KTM CONNECT

Turn-By-Turn Navigation, call, and music integration.



ENGINE PERFORMANCE

At the heart of the KTM 250 ADVENTURE lies a 249.07CC, single-cylinder, liquid-cooled SOHC engine.

[LEARN MORE](#)

KTM 250 ADVENTURE

AVAILABLE COLOURS



ELECTRONIC ORANGE



CERAMIC WHITE


KTM ADVENTURE RANGE

SPECS COMPARISON

Specification	KTM 390 Adventure R	KTM 390 Adventure S	KTM 390 Adventure X
Engine Type	4-Stroke, Single Cylinder, DOHC Internal Combustion Engine	4-Stroke, Single Cylinder, DOHC Internal Combustion Engine	4-Stroke, Single Cylinder, DOHC Internal Combustion Engine
Displacement	398.63CC	398.63CC	398.63CC
Bore / Stroke	89mm x 64mm	89mm x 64mm	89mm x 64mm
Power	46 PS @ 8500 RPM	46 PS @ 8500 RPM	46 PS @ 8500 RPM
Torque	39 NM @ 6500 RPM	39 NM @ 6500 RPM	39 NM @ 6500 RPM
Fuel Injection	Electronic Fuel Injection (EFI)	Electronic Fuel Injection (EFI)	Electronic Fuel Injection (EFI)
Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
Compression Ratio	12.71:1	12.71:1	12.71:1
Front Suspension	WP Apex USD Forks, 43mm Diameter, 230mm Travel Fully Adjustable for Compression and Rebound Damping (30-Steps)	WP Apex USD Open-Cartridge Forks, 43mm Diameter, 200mm Travel Fully Adjustable for Compression and Rebound Damping (30-Steps)	WP Apex USD Forks, 43mm Diameter, 200mm Travel
Rear Suspension	WP Apex Monoshock, 230mm Travel Adjustable for Rebound Damping (20-Clicks) and Preload (10 Steps)	WP Apex Monoshock, 205mm Travel Adjustable for Rebound Damping (20-Clicks) and Preload (10 Steps)	WP Apex Monoshock, 205mm Travel Adjustable for Preload (10 Steps)
Instrument Cluster	5" TFT Display with KTM Connect	5" TFT Display with KTM Connect	5" TFT Display with KTM Connect
Rider Aids	MTC, Quickshifter+, 3 Ride Modes, Cruise Control, Cornering ABS, Off-Road ABS, Ride-by-Wire, All LED Lighting with LED Projector, Cornering Traction Control Headlamps, Bluetooth Connectivity with Navigation.	MTC, Quickshifter+, 3 Ride Modes, Cruise Control, Cornering ABS, Off-Road ABS, Ride-by-Wire, All LED Lighting with LED Projector Headlamps, Bluetooth Connectivity with Navigation.	MTC, Quickshifter+, 3 Ride Modes, Cruise Control, Cornering ABS, Off-Road ABS, Ride-by-Wire, All LED Lighting with LED Projector Headlamps, Bluetooth Connectivity with Navigation.
Frame	Split Trellis Frame	Split Trellis Frame	Split Trellis Frame
Sub Frame	Bolt on Sub-Frame	Bolt on Sub-Frame	Bolt on Sub-Frame
Front Brake	320mm Disc with Floating Caliper	320mm Disc with Floating Caliper	320mm Disc with Floating Caliper
Rear Brake	240mm Disc with Floating Caliper	240mm Disc with Floating Caliper	240mm Disc with Floating Caliper
Fuel Tank Capacity	14.5L	14.5L	14.5L
Ground Clearance	272mm	237mm	228mm
Saddle Height	880mm	830mm	825mm
Kerb Weight	183 kg	182 kg	181 kg
Headlight	LED Projector Low Beam - 24W at 13.5V & High Beam - 30W at 13.5V + Auxiliary Lamp	LED Projector Low Beam - 24W at 13.5V & High Beam - 30W at 13.5V + Auxiliary Lamp	LED Projector Low Beam - 24W at 13.5V & High Beam - 30W at 13.5V + Auxiliary Lamp
Tyre Size	21"/18" Spoked	21"/17" Tubeless Spoke	21"/17" Tubeless Casted Wheel
Starter / Battery	Electric Starter / 12V 8Ah MF Battery	Electric Starter / 12V 8Ah MF Battery	Electric Starter / 12V 8Ah MF Battery
Colour Options	Ceramic White	Electronic Orange, Ceramic White	Electronic Orange, Ceramic White

KTM ADVENTURE RANGE SPECS COMPARISON

SPECIFICATION	KTM 390 ADVENTURE	KTM 250 ADVENTURE
ENGINE TYPE	4 STROKE, SINGLE CYLINDER, DOHC, INTERNAL COMBUSTION ENGINE	4-STROKE, SINGLE CYLINDER,SOHC INTERNAL COMBUSTION ENGINE
DISPLACEMENT	349.32 CC	249.07CC
BORE / STROKE	89 MM X 56.15 MM	72MM X 61.1MM
POWER	41.5 PS @ 8600 RPM	31 PS @ 9250 RPM
TORQUE	33.5 NM @ 7000 RPM	25 NM @ 7250 RPM
FUEL INJECTION	ELECTRONIC FUEL INJECTION (EFI)	ELECTRONIC FUEL INJECTION (EFI)
COOLING	LIQUID COOLING	LIQUID COOLING
COMPRESSION RATIO	12.68:1	12.63:1
FRONT SUSPENSION	WP APEX USD FORKS, 43MM DIAMETER, 200MM TRAVEL	WP APEX USD FORKS, 43 MM DIAMETER, 200MM TRAVEL
REAR SUSPENSION	WP APEX MONOSHOCK, 205MM TRAVEL ADJUSTABLE PRELOAD (10 STEPS)	WP APEX MONOSHOCK, 205MM TRAVEL ADJUSTABLE PRELOAD (10 STEPS)
INSTRUMENT CLUSTER	5" TFT DISPLAY WITH KTM CONNECT	5" TFT DISPLAY WITH KTM CONNECT
RIDER AIDS	MTC, QUICKSHIFTER+, 3 RIDE MODES, CRUISE CONTROL, CORNERING ABS, OFF-ROAD ABS, RIDE-BY-WIRE, ALL LED LIGHTING WITH LED PROJECTOR HEADLAMPS, BLUETOOTH CONNECTIVITY WITH NAVIGATION.	OFFROAD ABS, RIDE-BY-WIRE, QUICKSHIFTER+, SLIPPER CLUTCH, 12V USB SOCKET RIDE-BY-WIRE, ALL LED LIGHTING WITH LED PROJECTOR HEADLAMPS, BLUETOOTH CONNECTIVITY WITH NAVIGATION.
FRAME	SPLIT TRELLIS FRAME	SPLIT TRELLIS FRAME
SUB FRAME	BOLT ON SUB-FRAME	BOLT ON SUB-FRAME
FRONT BRAKE	320MM DISC WITH FLOATING CALIPER	320 MM DISC WITH RADIALLY MOUNTED CALIPER
REAR BRAKE	240MM DISC WITH FLOATING CALIPER	240 MM DISC WITH FLOATING CALIPER
FUEL TANK CAPACITY	14.5L	14.5L
GROUND CLEARANCE	228MM	228MM
SADDLE HEIGHT	825MM	825MM
KERB WEIGHT	181 KG	176 KG
HEADLIGHT	LED PROJECTOR LOW BEAM - 24W AT 13.5V & HIGH BEAM - 30W AT 13.5V + AUXILIARY LAMP	LED PROJECTOR LOW BEAM - 24W AT 13.5V & HIGH BEAM - 30W AT 13.5V + AUXILIARY LAMP
TYRE SIZE	19"/17" TUBELESS CASTED WHEEL	19"/17" TUBELESS CASTED WHEEL
STARTER / BATTERY	ELECTRIC STARTER / 12V 8AH MF BATTERY	ELECTRIC STARTER / 12V 8AH MF BATTERY
COLOUR OPTIONS	CERAMIC WHITE	ELECTRONIC ORANGE, CERAMIC WHITE





BOOK NOW

 [@ktm_india](#)

 [@ktmproxp](#)

 [@indiaktm](#)

 www.ktmindia.com